#### IMPACT ACOUSTIC®



# 185 Chatpod

961.10.442.000.20

#### 185

# Chatpod

#### **Article number**


961.10.442.000.20

#### **Dimensions**

Length	1018mm	40.07"
Width	935mm	36.81"
Height	2285mm	89.96"


#### Information

incl. installation kit



"The Chatpod guarantees focus, concentration without being disturbed or overhearing your chatty colleagues. Don't turn it into your personal zenspot for not everybody might appreciate your Ayuweda fragrance sticks."

– Daniel Verlooven, Global Acoustic Ambassador



# **ARCHI**SONIC<sub>®</sub> Colours

#### **Quiet Neutrals**

12mm & 24 mm

These shades work in harmony with natural textural materials and soften industrial environments. From light to dark and cool to warm, these are the foundations of any scheme where longevity and a mood of calm is desired.



#### **Warm Naturals**

12mm & 24 mm

Combinations of lighter toned neutrals and pinks have a gently soothing and restorative effect while the more saturated hues make perfect environments for relaxation.




# **ARCHI**SONIC® Colours

#### **Living Greens**

12mm & 24 mm


From the cool greens of forests to the yellowed aspect of young wheat, we see Living Greens breathing life into indoor spaces, and an essential palette for the future. Use in tonal layers brings the depth and diversity of green, while a single note can provide an amplifying backdrop to a biophilic space.



#### **Elemental Blues**

12mm & 24 mm

These blues work perfectly both as familiar single hues and in effortless tonal layers to create an immersive environment for focus or restoration.




# **ARCHISONIC**® Colours

#### **Soothing Pastels**

12mm & 24 mm

With tonal duos of pink and blue and green, this perfectly balanced group is designed for peaceful plays on light and shade and playful contrast. While the lightest tones have a dreamlike quality, their deeper counterparts add a subtle grounding.



#### **Elegant Darks**

12mm & 24 mm

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion. While each hue has the strength to stand alone, beautiful effects can be achieved with harmonized pairs.




# **ARCHISONIC**® Colours

#### **Energetic Brights**

12mm & 24 mm

There are no rules here with endless possibilities for clashing contrasts or surprising highlights. For a sophisticated use of energetic colour, take a single hue and colour match contrasting textiles and solid surfaces.



#### **Primary Play**

12mm & 24 mm

The primary story happens when all three main colours are used together, with varied proportions creating differing moods. As with the Energetic Brights palette, combine with coordinating-coloured textiles and solid surfaces.



### **ARCHI**SONIC® Material

#### Composition

100% PET (60% certified post-consumer content)

#### **Material Reutilisation**

24mm 12<sub>mm</sub>

88 PET bottles/m<sup>2</sup> 53 PET bottles/m<sup>2</sup>

**Density** 

24mm 12<sub>mm</sub>

4000 g/m<sup>2</sup> (+/-10%) 2400 g/m<sup>2</sup> (+/-10%)

#### **Dimensions Raw Panels**

24<sub>mm</sub>

1800 x 2400 x 24mm 1200 x 2800 x 12mm 70" x 94" x 0.94" (+/-7%) 47" x 110" x 0.47" (+/-7%)

**Fire Test** 

B-s1, d0 Class A DIN EN 13501-1 ASTM E84

#### **VOC Emission**

A+ **Pass** 

28 Days French Regulation 14 Days CDPH/EHLB



#### **Care Instructions**

PET fibres do not provide a breeding ground for bacteria and other germs. The dyed-through fibres do not bleach out even when using aggressive cleaning agents and disinfectants. Alcohols, aldehydes or active chlorine can be used for cleaning.

For daily cleaning we recommend alcohol solution (75%), e.g. Pantasept. In case of contamination by dust or fluff, use feather duster or a regular vacuum cleaner. For heavy dirt, treat the material with hydrogen peroxide.



# **ARCHI**SONIC® Material

#### **Matching NCS Colour Codes**

Developed by Colour Hive

Quiet Neutrals	500	103	442	108	542	444	550
NCS Code	S 0300-N	S 1002-B	S 3005-R80B	S 5005-Y20R	S 7502-B	S 4500-N	S 8500-N
Warm Naturals	105	404	102	516	239	724	
NCS Code	S 3010-Y50R	S 0502-Y	S 0510-R30B	S 2020-Y90R	S 4040-Y70R	S 5040-R10B	
Living Greens	706	712	439	311	317		
NCS Code	S 1010-B90G	S 3020-B30G	S 2040-G40Y	S 5030-G10Y	S 7020-G30Y		
Elemental Blues	304	410	864	432	810		
NCS Code	S 0510-B	S 2020-R90B	S 4050-R70B	S 3040-B	S 7020-R70B		
Soothing Pastels	102	516	304	410	706	712	
NCS Code	S 0510-R30B	S 2020-Y90R	S 0510-B	S 2020-R90B	S 1010-B90G	S 3020-B30G	
Elegant Darks	724	846	810	311	550		
NCS Code	S 5040-R10B	S 4050-R70B	S 7020-R70B	S 5030-G10Y	S 8500-N		
Energetic Brights	432	439	846	464	140	540	
NCS Code	S 3040-B	S 2040-G40Y	S 1040-Y10R	S 0580-Y70R	S 2060-R20B	S 5040-R40B	
Primary Play	500	542	846	662	864		
NCS Code	S 0300-N	S 7502-B	S 1040-Y10R	S 1080-R	S 4050-R70B		

These NCS codes are the closest visual match available and may not be exact to blended fibres.

#### **Colour fastness**

Class 6

ISO 105-B02:A1

#### Colour and surface deviation

ARCHISONIC® is manufactured to the highest quality standards, but slight colour and surface variations caused by the high percentage of recycled fibers are an unavoidable part of the product characteristics and do not claim warranty. Please request a free sample box to verify the colours.

# **ARCHI**SONIC® Material

#### **Light Reflection**

Hochschule Luzern - Institut für Gebäudetechnik | Energie

Ц		▮▮⊦	łoch	ısch	ıule
П	ЭL	UL	uze	rn	

Quiet Neutrals	500	103	442	108	542	444	550
Reflectance ρ	61.9%	51.4%	34.6%	22.5%	6% 1	7.9%	2.6%
Warm Naturals	105	404	102	516	239	724	
Reflectance ρ	27.5%	59.3%	55.2%	34.1%	10.3%	4.1%	
Living Greens	706	712	439	311	317		
Reflectance ρ	51.7%	27.7%	33.2%	10.3%	9.6%		
Elemental Blues	304	410	864	432	810		
Reflectance ρ	60%	32%	9.5%	15.2%	3.7%		
Soothing Pastels	102	516	304	410	706	712	
Reflectance ρ	55.2%	34.1%	60%	32%	51.7%	27.7%	
Elegant Darks	724	846	810	311	550		
Reflectance $ ho$	4.1%	9.7%	3.7%	10.3%	2.6%		
Energetic Brights	432	439	846	464	140	540	
Reflectance ρ	15.2%	33.2%	44.3%	26.8%	12.2%	5.5%	
Primary Play	500	542	846	662	864		
Reflectance ρ	61.9%	6%	44.3%	12.5%	9.5%		

#### **Sustainability**













Supported by





# HWe Make An Invact