


IMPACT ACOUSTIC®



Wall Panels

Ready-made


731.24.10-20.000.00
731.12.10-20.000.00

732.24.11-28.000.00-05
732.12.11-28.000.00-08

TECHNICAL DATA SHEET

Wall Panels

General Information




Data

Applicable article numbers

731.24.10-20.000.00	732.24.11-28.000.00-05
731.12.10-20.000.00	732.12.11-28.000.00-08

Total Dimensions ³	24mm / 12 mm	0.9" / 0.5"
Height	2400mm / 2800mm	95" / 110"
Weight	1800mm / 1200mm	71" / 47"



Custom solutions available

Material

Wall Covering	100% PET (60% post-consumer) in 32 colors
Glue	Spray Glue



Extended document available

Weight¹

24mm / 0.95"	4 kg/m ²	0.82 lbs/sq.ft
12mm / 0.47"	2.4 kg/m ²	0.49 lbs/sq.ft

Included

PET Panels



Spray glue



Installation
guide



Warranty
2 years²



1 - all weights are nominal

2 - Impact Acoustic warranty terms apply


3 - all dimensions are nominal

Wall Panels


Specification Guide

Ensure you make the perfect choice by choosing our solutions for your next project. To get started, simply define some basic information and constraints about your space. Then explore our range of standard solutions or contact us directly for a more in-depth discussion of personalised customized options.

1 Prepare this information:



Project Area




Plans




Other Considerations


2 Specify your Wall Covering:



Material Thickness



Quantity



Color

3 Article numbers:

732	Material Thickness ³	12	Color	00
732	24mm	12	Choose colour	00
	12mm			

Example: 732.24.12.662.00

Wall Covering - Kingscross, 2400 x 1800 x 24mm, 662 - Poster Red incl. spray glue

3 - all dimensions are nominal

Geometry Information

Tabula 24mm

Applicable articles numbers

731.24.10.000.00
731.24.11.000.00
731.24.11.000.00

Scope of delivery

For each 24mm item you will receive a set PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Tabula 12mm

Applicable articles numbers



731.12.10.000.00
731.12.11.000.00
731.12.12.000.00

Scope of delivery

For each 12mm item you will receive a set of PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Geometry Information

Fishbone 24mm

Applicable articles numbers


731.24.15/16.000.00 (RIGHT/ LEFT)

Scope of delivery

For each 24mm item you will receive a set of Xx PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Fishbone 12mm

Applicable articles numbers


731.12.15/16.000.00 (RIGHT/ LEFT)

Scope of delivery

For each 12mm item you will receive a set of Xx PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Hexagon 24mm

Applicable articles numbers

731.24.20.000.00

Scope of delivery

For each 24mm item you will receive a set of 65x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Hexagon 12mm

Applicable articles numbers




731.12.20.000.00

Scope of delivery



For each 12mm item you will receive a set of 48x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



65x



48x

All dimensions are nominal

Geometry Information

Flow 24mm

Applicable articles numbers


732.24.11.000.00

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Flow 12mm

Applicable articles numbers


732.12.11.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Geometry Information

Kingscross 24mm

Applicable articles numbers

732.24.12.000.00

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Kingscross 12mm

Applicable articles numbers



732.12.12.000.00

Scope of delivery


For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



3x



2x

All dimensions are nominal

Geometry Information

Vertigo 24mm

Applicable articles numbers


732.24.13.000.00

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



3x

Vertigo 12mm

Applicable articles numbers


732.12.13.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.




2x

All dimensions are nominal

Vertigo Fine

Geometry Information



Vertigo Fine 24mm

Applicable articles numbers


732.24.13.000.30

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



3x

Vertigo Fine 12mm

Applicable articles numbers


732.12.13.000.30

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.




2x

All dimensions are nominal

Vertigo Irregular

Geometry Information



Vertigo Irregular 24mm

Applicable articles numbers

732.24.15.000.00

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Vertigo Irregular 12mm

Applicable articles numbers


732.12.15.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers


These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

1x

1x



1x

1x

All dimensions are nominal

Geometry Information

Prisma 24mm

Applicable articles numbers

732.24.16.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Prisma 12mm

Applicable articles numbers



732.12.16.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Facet 24mm

Applicable articles numbers


732.24.17.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Facet 12mm

Applicable articles numbers


732.12.17.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Maze 24mm

Applicable articles numbers


732.24.18.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Maze 12mm

Applicable articles numbers


732.12.18.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Gatsby 24mm

Applicable articles numbers


732.24.19.000.00

Scope of delivery

For each 24mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

Gatsby 12mm

Applicable articles numbers


732.12.19.000.00

Scope of delivery

For each 12mm item you will receive a set of 3x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

All dimensions are nominal

Geometry Information

Contour 24mm

Applicable articles numbers


732.24.20.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

Contour 12mm

Applicable articles numbers


732.12.20.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.





1x


All dimensions are nominal

Contour


Patterns 24mm




732.24.20.000.00




732.24.20.000.01




732.24.20.000.02



732.24.20.000.03





732.24.20.000.04




732.24.20.000.05

Contour


Patterns 12mm




732.12.20.000.00




732.12.20.000.01




732.12.20.000.02




732.12.20.000.03




732.12.20.000.04




732.12.20.000.05



732.12.20.000.06



732.12.20.000.07



732.12.20.000.08

Geometry Information

Loop 24mm

Applicable articles numbers


732.24.21.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

Loop 12mm

Applicable articles numbers


732.12.21.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



1x

All dimensions are nominal

Geometry Information

Maya 24mm

Applicable articles numbers


732.24.22.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Maya 12mm

Applicable articles numbers


732.12.22.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Fylo 24mm

Applicable articles numbers

732.24.23.000.00

Scope of delivery

For each 24mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Fylo 12mm

Applicable articles numbers


732.12.23.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Cottage 24mm

Applicable articles numbers


732.24.24.000.00

Scope of delivery

For each 24mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



2x

Cottage 12mm

Applicable articles numbers


732.12.24.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



2x

All dimensions are nominal

Geometry Information

Fon 24mm

Applicable articles numbers

732.24.25.000.00

Scope of delivery

For each 24mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.

Fon 12mm

Applicable articles numbers


732.12.25.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Pass 24mm

Applicable articles numbers


732.24.26.000.00

Scope of delivery

For each 24mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Pass 12mm

Applicable articles numbers


732.12.26.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Bau 24mm

Applicable articles numbers


732.24.27.000.00

Scope of delivery

For each 24mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Bau 12mm

Applicable articles numbers


732.12.27.000.00

Scope of delivery

For each 12mm item you will receive a set of 2x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

Geometry Information

Vela 24mm

Applicable articles numbers


732.24.28.000.00

Scope of delivery

For each 24mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers

These panels are mounted with a contact spray adhesive. Instructions are available online.



Vela 12mm

Applicable articles numbers


732.12.28.000.00

Scope of delivery

For each 12mm item you will receive a set of 1x PET panels (in the dimensions below), 1x spray adhesive can per set.

Applicable articles numbers


These panels are mounted with a contact spray adhesive. Instructions are available online.



All dimensions are nominal

ARCHISONIC®

Colors



Name	Snow White	Milk	Cloud	Smoke	Ground	Charcoal	Slate	Raven
Color Code	500	404	103	442	108	542	444	550
NCS Code	S 0300-N	S 0502-Y	S 1002-B	S 3005-R80B	S 5005-Y20R	S 7502-B	S 4500-N	S 8500-N

Name	Nordic Pine	Grove	Moss	Spearmint	Ice Blue	Succulent	Deep Sea	Marine Blue
Color Code	311	317	439	706	304	712	918	864
NCS Code	S 5030-G10Y	S 7020-G30Y	S 2040-G40Y	S 1010-B90G	S 0510-B	S 3020-B30G	S 5020-R90B	S 4050-R70B

Name	Linen	Shell Pink	Jute	Warm Stone	Terracotta	Soft Coral	Honeycomb	Sunshine
Color Code	107	102	920	105	239	516	139	846
NCS Code	S 1505-Y30R	S 0510-R30B	S 3010-Y30R	S 3010-Y50R	S 4040-Y70R	S 2020-Y90R	S 2050-Y20R	S 1040-Y10R

Name	Garnet	Hot Pink	Poster Red	Electric Orange	Winter Sky	Pacific Ocean	Midnight	Grape
Color Code	724	140	662	464	311	432	810	540
NCS Code	S 5040-R10B	S 2060-R20B	S 1080-R	S 0580-Y70R	S 5030-G10Y	S 3040-B	S 7020-R70B	S 5040-R40B

These NCS codes are the closest visual match available and may not be exact to blended fibres.

ARCHISONIC®

Colors

Experience our ARCHISONIC® Felt material with a stunning selection of 32 colors across 8 distinct families, thoughtfully curated by *Colour Hive* in London. Effortlessly combine colors harmoniously to suit your preferences. Discover more in our Materials brochure and order your free sample box today.

Color fastness

Class 6

ISO 105-B02:A1

Order a free sample box



ARCHISONIC® Felt

Material Specification

Product Name	Archisonic® Felt	
Content	100% PET (60% certified post-consumer content)	
Thickness¹	12mm (0.47")	24mm (0.94")
Max. Size	1200x2800mm (47"x110")	1800x2400mm (70"x94")
Acoustic²	ASTM: NRC=0.6 ISO: α_w =0.65	ASTM: NRC=0.9 ISO: α_w =0.95
Density¹	2400 g/m ² (0.49 lbs/ sqft)	4000 g/m ² (0.82 lbs/sqft)
Color Fastness	Class 6 ISO 105-B02:A1	
Color	32 colors (see Archisonic® Felt Color page for more information)	
Maintenance	For daily cleaning we recommend alcohol solution (75%), e.g. Pantasept. In case of contamination by dust or fluff, use feather duster or a regular vacuum cleaner. For heavy dirt, treat the material with hydrogen peroxide.	
Lead time³	21 days	
Fire Rating	DIN EN 13501-1: B-s1, d0	ASTM E84 Class A
VOC Emission	28 Days French Regulation A+ ASTM E84 Pass Breeam® (International, UK, NL, SE, NOR) Exemplary CDPH (CDPH/EHLB/Standard Method V1.2) Pass	
Certifications	Declare label, Cradle to Cradle, UL Environmental Product Declaration, Member of US Green Building Council, Ecobau 1st Priority, Climmate-KIC, VOC emissions in LEED EQ credit (low-emitting products), SCS Recycled Content	
Durability	Contract	

1 - all values are nominal 2 - measured with 300mm air cavity 3 - depending on the location and type of product




Climate-KIC is supported by the
EIT, a body of the European Union



Wall Panels

Acoustic Performance



Testing Standards


ISO 354:2003	Acoustics — Measurement of sound absorption in a reverberation room
ISO 11654:1997	Acoustics — Sound absorbers for use in buildings — Rating of sound absorption
ISO 20189:2018	Acoustics — Screens, furniture and single objects intended for interior use — Rating of sound absorption and sound reduction of elements based on laboratory measurements
ASTM C423-17	Standard Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method
ASTM E795-16	Standard Practices for Mounting Test Specimens During Sound Absorption Tests

Acoustic Test Results

	α_w	SAA	NRC
Archisonic 12mm (no air gap)	0.3 (MH)	0.42	0.45
Archisonic 12mm (50mm air gap)	0.4 (MH)	0.50	0.65
Archisonic 12mm (50mm insulation)	1.00	1.00	0.95
Archisonic 24mm (no air gap)	0.55 (MH)	0.70	0.70
Archisonic 24mm (50mm air gap)	0.65 (MH)	0.78	0.80
Archisonic 24mm (50mm insulation)	1.00	1.00	1.00

Acoustic Performance

Frequency (Hz)		125	250	500	1000	2000	4000
Archisonic 12mm (no air gap)	α_s	0.04	0.07	0.23	0.53	0.84	1.03
Archisonic 12mm (50mm air gap)	α_s	0.04	0.14	0.40	0.71	0.78	0.76
Archisonic 12mm (50mm insulation)	α_s	0.35	0.83	1.09	1.15	1.11	1.06
Archisonic 24mm (no air gap)	α_s	0.07	0.24	0.55	0.92	1.07	1.11
Archisonic 24mm (50mm air gap)	α_s	0.14	0.37	0.76	0.99	0.99	1.04
Archisonic 24mm (50mm insulation)	α_s	0.39	0.89	1.09	1.14	1.13	1.08



- Archisonic 12mm (no air gap)
- Archisonic 12mm (50mm air gap)
- Archisonic 12mm (50mm insulation)
- Archisonic 24mm (no air gap)
- Archisonic 24mm (50mm air gap)
- Archisonic 24mm (50mm insulation)

The graph represents the sound absorption coefficients (α_s) in the third octave band center frequencies. Measurement used Pink Noise as excitation signal in a reverberant room.

Wall Panels

Reference Projects



Wall Panels

Additional Information

Online Resources

A variety of resources are available online for all of our products. Please visit the product's page for more information.



CAD files



Spec sheets and
Installation Guide



Color families



Instruction
videos



Associated
products specs.

Ordering Process

Our experienced team of Project Consultants will guide and support you throughout the order process. We fulfill the majority of our orders in as little as 21 days¹ from your first point of contact, allowing you to focus on what truly matters to you.



Contact our
consultant

Quote¹

1-2 day



Order Confirmation

Production¹

2-3 weeks



Dispatch

Transit

location-dependent



Delivery

Contact Us

Ready to make an impact? We are just an email or call away to discuss your project and answer any question.




+41 41 566 55 55



connect@impactacoustic.com



Online form



¹ - Quote and Production times may vary.

IMPACT ACOUSTIC®
Wall Panels
rev.01 - 11.01.24

(Switzerland)
(USA)
(Philippines)

connect@impactacoustic.com
usa@impactacoustic.com
philippines@impactacoustic.com

(+41) 41 566 55 55
(+1) 646 918 1581
(+63) 285 80 02 50

#WeMakeAnImpact

**#We
Make An
Impact**

connect@impactacoustic.com | www.impactacoustic.com