



HASHIRA FLOOR LAMP Designed by *Norm Architects*



HASHIRA FLOOR LAMP Designed by *Norm Architects*

Product Sheet

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.



RAW 1501699

TECHNICAL SPECIFICATIONS

PRODUCT TYPE Floor lamp	WEIGHT 6,51 kg / 14,35 lb	CORD MATERIAL AND COLOUR Textile, black, plug, black.
COLLI 1	VOLTAGE CE: 220-230 V US: 110-130 V	CORD LENGTH 300 cm / 118"
ENVIRONMENT Indoor	LIGHT SOURCE & ENERGY EFFICIENCY CLASS	CLASSIFICATION IP20, Class II
DIMENSIONS H: 83 cm / 32,7" Ø: 30 cm / 11,8"	E27 (CE) - 2 pcs E26 (US) - 2 pcs Max 40 Watt	CERTIFICATIONS CE and ETL certified, tests can be obtained upon request.
PRODUCTION PROCESS Welded steel frame with a hand-made shade and sandblasted wood base.	LIGHT SPECIFICATION Bulbs not included.	PACKAGING TYPE Brown box
COLOUR Raw, stained oak	DIMMER Yes, on cord.	PACKAGING MEASUREMENTS (H \times W \times D) 37 cm \times 37 cm \times 88 cm / 14.6" \times 14.6" \times 34.6"
MATERIALS Steel, linen, PS plastic, ash Thickness of line may vary giving a slightly different light.	CANOPY N / A	MATERIALS & MAINTENANCE Please visit audocph.com for materials, care and maintenance instructions.



0: 30 cm / 11,8"

Set on an elegant powder-coated steel foot for an elevated and airy expression, the Japaneseinspired Hashira High Floor Lamp by Norm Architects illuminates spaces with soft light, elegantly diffused through its tactile fabric shade.



1507059



TECHNICAL SPECIFICATIONS

PRODUCT TYPE Floor lamp

COLLI

ENVIRONMENT Indoor

DIMENSIONS H: 130 cm / 51,1" Ø: 30 cm / 11,8"

PRODUCTION PROCESS Laser cut and welded steel frame with a hand-made shade.

COLOUR Raw, stained oak White, stained oak Black (RAL 9005)

MATERIALS Powder coated steel, linen, PS plastic. WEIGHT N / A

VOLTAGE CE: 220-230 V US: 110-130 V

LIGHT SOURCE E27 (CE) - 2 pcs E26 (US) - 2 pcs

Max 40 Watt

LIGHT SPECIFICATION Bulbs not included.

DIMMER Yes, on cord.

CANOPY N / A CORD MATERIAL AND COLOUR Textile, black, plug, black.

CORD LENGTH 220 cm / 86"

CLASSIFICATION IP20, Class II

CERTIFICATIONS

CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE Brown box

PACKAGING MEASUREMENTS (H \times W \times D) 81,5 cm \times 76,4 cm \times 40,3 cm / 32" \times 30" \times 15,8"

MATERIALS & MAINTENANCE

Please visit audocph.com for materials, care and maintenance instructions.



0: 30 cm / 11,81"

