

# BUSTER+PUNCH

LONDON

[ product. ]

## DOOR HANDLE / CROSS

[ motion. **LEVER.** ]

[ action. **SPRUNG.** ]

[ knurl. **CROSS.** ]


[ range. **DOOR HARDWARE.** ]

A door lever handle made from solid metal. A solid bar with diamond-cut, knurled detailing, ensuring pleasure with every touch. Works great on all internal doors and can be teamed up with our matching door accessories. Available in 4 metal finishes: steel, brass, smoked bronze and black.



[ type. **2-1/8" BORE / PASSAGE.** ]

[ info. **MEASUREMENTS.** ]



A fascia plate is included to cover the inner rose and screw holes.

[ info. **SPECIFICATIONS.** ]

A pair of sprung door lever handles for use with US specification locks and latches.





Compatible with either tubular latches or mortise locks.

USE: Passage interior doors. Minimum door thickness 1 3/8" to maximum door thickness 2" (with supplied fixings).

ROSE: 2 9/10" diameter, 3/16" thick rose to cover a pre-drilled 2 1/8" hole in a door.

SPINDLE: 5/16" x 5/16" square spindle.

[ info. **FINISH & SKU NUMBERS.** ]

[ finish. ]	[ sku. ]
 Steel	NLH-07169
 Brass	NLH-05167
 Smoked Bronze	NLH-09168
 Black	NLH-02166

[ info. **CARE INSTRUCTIONS.** ]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[ info. **INCLUDED.** ]

**1 x pair of Door Handles**

1 x spindle

1 x 2-3/8" backset US passage tubular latch with through bolt fixings

[ info. **RECOMMENDED.** ]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:

	[ 2-3/4" Backset. ]
Steel	NLL-07177
Brass	NLL-05175
Smoked Bronze	NLL-09176
Black	NLL-02174


[ please. **NOTE.** ]

This product is best used with a long backset (2-3/4" or 2-3/8"), lightly sprung, two-way rotating tubular latch or mortise lock.

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[ type. **2-1/8" BORE / PRIVACY.** ]

[ info. **MEASUREMENTS.** ]



A fascia plate is included to cover the inner rose and screw holes.

[ info. **SPECIFICATIONS.** ]

A pair of sprung door lever handles for use with US specification locks and latches.

Compatible with either tubular latches or mortise locks.

USE: Privacy interior doors. Minimum door thickness 1 3/8" to maximum door thickness 2" (with supplied fixings).

ROSE: 2 9/10" diameter, 3/16" thick rose to cover a pre-drilled 2 1/8" hole in a door.

SPINDLE: 5/16" x 5/16" square spindle.

[ info. **FINISH & SKU NUMBERS.** ]

[ finish. ]	[ sku. ]
Steel	NLH-07181
Brass	NLH-05179
Smoked Bronze	NLH-09180
Black	NLH-02178

[ info. **CARE INSTRUCTIONS.** ]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[ info. **INCLUDED.** ]

- 1 x pair of Door Handles**
- 1 x spindle
  - 2 3/8" backset US privacy tubular latch with through bolt fixings

[ info. **RECOMMENDED.** ]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:

	[ 2-3/4" Backset. ]
Steel	NLL-07177
Brass	NLL-05175
Smoked Bronze	NLL-09176
Black	NLL-02174

[ please. **NOTE.** ]

This product is best used with a long backset (2-3/4" or 2-3/8"), lightly sprung, two-way rotating tubular latch or mortise lock.

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.