

[product

DOOR HANDLE / LINEAR

[motion. LEVER.]

[action. SPRUNG.]

[knurl. LINEAR.]

[range. DOOR HARDWARE.]

A DOOR LEVER HANDLE made from solid metal and made from solid metal and featuring our elegant LINEAR KNURLED detailing and torx screw. Works great on all internal doors and can be combined with our matching door accessories. Available in four metal finishes: STEEL, BRASS, GUN METAL and WELDERS BLACK.










卌

BUSTERANDPUNCH.COM/US [end. ORDINARY.]

[type. PRE-DRILLED / PASSAGE.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

A pair of solid metal door handles, designed for installation onto a "pre-drilled" door (2" bore hole).

Designed for use with US (centre distance 41.5 mm or 1-5/8') specific latches. Compatible with either tubular latches or mortise locks.

Suitable for interior doors only.

Fits doors of thicknesses: minimum 1 3/8" to maximum 2" (with supplied fixings*).

*For thicker doors, longer through bolts and a longer spindle will need to be sourced.

[info. FINISH & SKU NUMBERS.]

[finish.]	[sku.]
Steel	NLH-071038
Brass	NLH-051037
Gun Metal	NLH-091039
Welders Black	NLH-481036

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note all finishes are prone to aging.

[info. INCLUDED.]

1 x pair of Door Lever Handles

 $1 \times 5 \text{ mm} \times 5 \text{ mm} \times 120 \text{ mm}$ Square Spindle

2 x 5mm to 8mm Spindle Adapters (pre-installed)

2-3/8" backset US passage tubular latch with through bolt fixings

[info. **RECOMMENDED.**]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:


	[2-3/8" Backset.]	[2-3/4" Backset.]
Steel	NLL-07189	NLL-07193
Brass	NLL-05187	NLL-05191
Black	NLL-02186	NLL-02190

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[type. PRE-DRILLED / PRIVACY.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

A pair of solid metal door handles, designed for installation onto a "pre-drilled" door (2" bore hole).

Designed for use with US (centre distance 41.5 mm or 1-5/8") specific latches. Compatible with either tubular latches or mortise locks.

Suitable for interior doors only.

Fits doors of thicknesses: minimum 1 3/8" to maximum 2" (with supplied fixings*).

*For thicker doors, longer through bolts and a longer spindle will need to be sourced.

[info. FINISH & SKU NUMBERS.]

[finish.]	[sku.]
Steel	NLH-071042
Brass	NLH-051041
Gun Metal	NLH-091043
Welders Black	NLH-481040

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note all finishes are prone to aging.

[info. INCLUDED.]

1 x pair of Door Lever Handles

1 x 5 mm x 5 mm x 112 mm Square Spindle

2 x 5mm to 8mm Spindle Adapters (pre-installed)

2-3/8" backset US privacy tubular latch with through bolt fixings

[info. ${f RECOMMENDED.}$]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:

	[2-3/8" Backset.]	[2-3/4" Backset.]
Steel	NLL-07173	NLL-07177
Brass	NLL-05171	NLL-05175
Black	NLL-02170	NLL-02174

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.